
# **OPEN ACCESS: MAC Book Notes**



Published by the Illinois State Archaeological Survey. 2013. 216 pp., \$20.50 (paper).

Buried sites frequently offer a wealth of information not found at locations that have been impacted by plowing or subjected to artifact collecting, and the Archaic occupations at the White Bend site in the LaMoine Valley of west central Illinois are no exception: almost 257,000 artifacts were recovered from an area measuring only 98 m². Covered by up to 1.5 m of alluvial and colluvial deposits, the Archaic cultural components at White Bend consist of a 20-cm-thick Hemphill midden (ca. 2650 B.C.) overlaying a 40-cm-thick Helton midden (ca. 4100 B.C.). A Falling Springs occupation (ca. 3500 B.C.) is also present within the Helton midden.

In addition to the artifact-laden Helton midden, which included more than 100 Matanzas and Karnack points, numerous grooved axes, and a plethora of other chert and groundstone cobble tools, as well as smaller quantities of floral and faunal material, the Helton occupation is marked by four small pit features arranged in a semi-circular pattern; one Helton pit feature is located a short distance from these four. It is argued that the four features mark the location of a single-family residence whose occupants dispersed into the Valley during the winter months over a period of several years.

The Falling Springs occupation, which is one of the more northerly occurrences of this cultural manifestation in west central Illinois, is likely a temporary field camp focused on fall hickory nut processing. Only two pit features and a sparse amount of cultural material, including six McLean points, are associated with this occupation.

The Hemphill occupation at White Bend is suggested to be a one-time-only event that likely lasted at most several days and was focused on two paired steaming pits. These pits contained 175 and 410 kg of lithic material, respectively, the majority of which was comprised of burned limestone, dolomite, and sandstone. Almost 50 points, consisting of bold side-notched varieties such as Osceola and Godar, are associated with this occupation.

This volume includes discussions on site geomorphology and stratigraphy, radiocarbon assays, midden and features, lithics, botanical remains, and faunal artifacts, as well as a chapter devoted to the spatial analysis of select artifacts. Illustrated with more than 50 figures and containing links to 17 online appendices, this book is a valued resource for those interested in the Archaic of the Midwest.

### Contents

List of F	igures	vii
	ables	
	ledgments	
ACKHOW	ieugnients	
1	Introduction	1
	Environmental Setting	
	Field and Lab Methods	
2	Cultural Overview by David J. Nolan and Richard L. Fishel	17
	Helton Horizon (cal 4650-3800 B.C.)	17
	Falling Springs Horizon (cal 3650-3000 B.C.)	18
	Hemphill Horizon (cal 3350-2500 B.C.)	
	*	
3	Geomorphology and Stratigraphy by Michael F. Kolb	
	Previous Research	
	Methods	25
	Results	26
	Geomorphic Setting	26
	Western Alluvial Fan Watershed	26
	Eastern Alluvial Fan Watershed	26
	Valley Margin: Alluvial Fans and Colluvial Slope	26
	LaMoine River	26
	Terraces	28
	Deposits at the White Bend Site	28
	Landforms at the White Bend Site	28
	Primary Alluvial Fans	31
	Colluvial Slope	
	Alluvial Landforms	
	Stratigraphy and Soils	
	Excavation Blocks 6/12/13	
	Excavation Block 7, Cores 57 and 66	
	Excavation Blocks 5 Extension, 8, and 9	
	Excavation Block 14 (Geo-sections 3 and 4).	
	Western Fan Channel Mouth	
	Discussion and Conclusions	37
	Event 1	
	Event 2	37
	Event 3	
	Event 4	
	Event 5	
	Event 6	
	Event 7	
	Event 8	
	Event 9	
	Event 10	

### Contents

4	Radiocarbon Dates	41
	Discussion	41
5	Midden and Features	40
9	Midden Midden	
	Features.	
	Feature 327 Feature 358	
	Feature 366	
	Feature 367	
	Feature 368Feature 369	
	Feature 370	
	Feature 379 Feature 381	
	Hemphill Feature Summary	
	Helton Feature Summary	
	Helion Feature Summary	
6	Lithic Analysis by David J. Nolan	57
	Raw Materials	58
	Lithic Technology	60
	Flintknapping Debris	
	Non-Chert Debris	69
	Chipped Stone Tools	72
	Hafted Bifaces	72
	Helton Horizon	73
	Hemphill Horizon	92
	Falling Springs Horizon	97
	Miscellaneous Hafted Tools	
	General Bifaces	113
	Early Stage Bifaces	114
	Middle Stage Bifaces	115
	Refined Bifaces	
	Helton Horizon Preforms	117
	Miscellaneous Bifacial Tools	122
	Chert Hammerstones	124
	Flake Tools	126
	Retouched Objects	
	Utilized Objects	
	Modified Stone Objects	
	Ground Stone Objects	
	Axes/Celts	
	Miscellaneous/Unidentified	
	Cobble Tools	
	Hammerstones	
	Pitted Stones	
	Manos	
	Abraders	
	Metates	
	Modified Native Minerals	138

### Contents

	Summary and Discussion	
	Generalized Lithic Procurement and Site Activities	139
	Helton Horizon	140
	Falling Springs Horizon	14:
	Hemphill Horizon	143
	Endnotes	146
7	Ethnobotanical Analysis by Mary L. Simon	14
	Methods	148
	Results	150
	Discussion	150
	Summary	159
	Endnote	
8	Faunal Analysis by Steven R. Kuehn	16
	Method of Analysis	
	Helton Horizon Assemblage	
	Class Mammalia	
	Class Aves	
	Class Reptilia	
	Class Osteichthyes	
	Class Pelecypoda	
	Possible Helton Fauna	
	Discussion	
	Falling Springs Horizon Assemblage	
	Hemphill Horizon Assemblage	
	Class Mammalia	
	Class Aves	
	Class Reptilia	
	Class Osteichthyes	
	Class Pelecypoda	
	Possible Hemphill Fauna	
	Discussion	
	Unaffiliated Faunal Material	
	Alluvial Context	
	Mixed Archaic Deposits	
	Discussion	
	Discussion	
9	Spatial Analysis.	169
0	Artifact Distributions	
	Helton Structure	
	Helton ounclure	17
10	Concluding Remarks	19
10	Summary	
	Summary	100
_		

# Figures

1.1	White Bend site location in relation to proposed IL 336 project corridor	
1.2	White Bend site location in relation to local topography and proposed project corridor	
1.3	White Bend site during the beginning stages of the Woodland excavation	4
1.4	Map of White Bend showing Excavation Units (EB), Hand Units (HU), and Main	
	Archaic Block	6
1.5	Map of Main Archaic Block	
1.6	Archaic Main Block grid prior to excavation with in-progress Woodland excavations	
1.7	Cross sections of the Hemphill (Buried Soil 1) and Helton (Buried Soil 2) middens	13
1.8	In-progress White Bend Archaic Main Block excavation, view is to the northeast	14
1.9	Burned timber within Hemphill Feature 369 submitted for C14 analysis (ISGS-6067)	18
3.1	Locations of Pleistocene and Holocene terraces in the White Bend site region	24
3.2	Locations of the western and eastern alluvial fan watersheds and alluvial fans relative	
	to the location of White Bend	2
3.3	LaMoine River channel position changes between 1939 and 2007	29
3.4	Location of landforms, excavation blocks (EB), and cores at White Bend	
3.5	Stratigraphic cross-section along the south wall of Excavation Blocks 12, 13, and 6	3
3.6	South profile wall at the function of EB 6 (low end) and EB 13 (upper end)	34
3.7	Northeast wall of EB 8 at the junction with EB 5	36
3.8	Southeast wall of EB 5ext at the junction with EB 5	
5.1	Distribution of all White Bend Archaic features	45
5.2	Profiles of White Bend Archaic features	
5.3	Hemphill Feature 327 showing in situ burned limestone	48
5.4	Falling Springs Feature 367 profile detailing burned nutshell concentration	
5.5	Eastern half of Hemphill Feature 369 showing in situ burned limestone	
5.6	Distribution of Hemphill features.	
5.7	Distribution of Falling Springs features	
5.8	Distribution of Helton features.	
6.1	Matanzas points	
6.2	Matanzas hafted scrapers	
6.3	Karnak points.	8
6.4	Karnak hafted scrapers	
6.5	Bold Side Notched points.	
6.6	McLean cluster points	
6.7	Early Holocene / Early Archaic points and bifaces	
6.8	Small notched flakes	
6.9	Miscellaneous and unidentified points	
6.10	Hafted awls/drills	
6.11	Miscellaneous hafted scrapers	
6.12	Helton horizon bifacial preforms	
6.13	Narrow pointed bifaces	
6.14	Grooved axes	
9.1	Distribution of Buried Soil 2 piece-plotted pitted stones, hammerstones, and	
	groundstone in relation to metates (circles are 1.5 m in diameter)	17
9.2	Distribution of Buried Soil 2 piece-plotted pitted stones, hammerstones, and	
	groundstone in relation to metates (circles are 3 m in diameter)	179
9.3	Distribution of Buried Soil 2 piece-plotted Karnak and Matanzas points in relation	
	to metates (circles are 1.5 m in diameter)	.17:
9.4	Distribution of Buried Soil 2 piece-plotted Karnak and Matanzas points in relation	

### Figures

	to metates (circles are 3 m in diameter)	174
9.5	Distribution of piece-plotted Bold Side-Notched points	176
9.6	Distribution of piece-plotted bifaces within Buried Soil 1 (Hemphill midden)	177
9.7	Distribution of piece-plotted Karnak points within Buried Soil 2 (Helton midden)	178
9.8	Distribution of piece-plotted Matanzas points within Buried Soil 2 (Helton midden)	179
9.9	Distribution of piece-plotted Karnak and Matanzas points within Buried	
	Soil 2 (Helton midden)	180
9.10	Distribution of piece-plotted bifaces within Buried Soil 2 (Helton midden)	181
9.11	Distribution of piece-plotted hammerstones within Buried Soil 2 (Helton midden)	182
9.12	Distribution of piece-plotted pitted stones within Buried Soil 2 (Helton midden)	183
9.13	Distribution of piece-plotted metates within Buried Soil 2 (Helton midden)	184

### Tables

1.1	Correlation of Hand Unit Levels to Cultural Component	10
3.1	Deposits at the White Bend Site.	30
3.2	Event Stratigraphy	
4.1	White Bend Radiocarbon Dates	41
5.1	Attributes of White Bend Archaic Features	49
6.1	Chert Debris Summary	61
6.2	Chert Debris Raw Material Summary	62
6.3	Rough Rock Summary	70
6.4	Matanzas Point Attribute Summary	77
6.5	Matanzas Hafted Scraper Attribute Summary	77
6.6	Comparison of Regional Matanzas Point Attributes	79
6.7	Comparison of Regional Helton Horizon Hafted Scraper Attributes	82
6.8	Karnak Point Attribute Summary	88
6.9	Karnak Hafted Scraper Attribute Summary	88
6.10	Comparison of Regional Karnak Point Attributes	
6.11	Bold Side-Notched Point Attribute Summary	96
6.12	McLean Point Attribute Summary	
6.13	Comparison of Regional McLean Point Attributes	100
6.14	Non-Diagnostic Hafted Scraper Attribute Summary	112
6.15	Lanceolate-Shaped Helton Preform Attribute Summary	114
6.16	Sub-Lanceolate-Shaped Helton Preform Attribute Summary	114
6.17	Flake Tool Attribute Data	127
6.18	Grooved Axe Attribute Data	134
7.1	Summary of Plant Remains from the Archaic Components	149
7.2	Plant Remains from Helton Features.	
7.3	Plant Remains from Lower Level Helton Phase Hand Units	
7.4	Plant Remains from Falling Springs Phase Features	155
7.5	Plant Remains from Hemphill Horizon Features	156
7.6	Plant Remains from Level 1 Hemphill Horizon Hand Units	157
7.7	Wood Charcoal Samples from Hemphill Horizon Features	157
8.1	Faunal Remains from the Helton Occupation	162
8.2	Helton Component Deer Remains	163
8.3	Faunal Remains from Possible Helton Contexts	
8.4	Faunal Remains from the Falling Springs Occupation	165
R K	Faunal Remains from the Hermshill Occupation	166

### **Table Appendices**

To facilitate the production process long appendices tables are available online in their original Excel format and are not included in the paper copy of this report. Copy the URLs below and paste them into a web browser to download the data. Excel or a similar program that can open .xls file is required.

- A Excavation Block Profile Descriptions
  - http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_A.xls
- B Core Log

 $http://is as. illinois. edu/publications/data/TARR/29/11 HA938\_White\_Bend\_Archaic\_Appendix\_B.xls$ 

#### Table Appendices

- C Material Inventory
  - http://isas.tllinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_C.xls
- D Matanzas Point Attribute Data
  - $http://is as. \textit{tflinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archatc\_Appendix\_D.x is a constraint of the constraint of the$
- E Helton Horizon Hafted Scraper Attribute Data
- http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_E.xls
- F Karnak Point Attribute Data http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_F.xls
  - Bold Side Notched Point Attribute Data
- http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_G.xls
  - Things, and the control of the contr
- H McLean Point Attribute Data
  - http://tsas.fllinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_H.xis
- I Miscellaneous Projectile Point Attribute Data
  - $http://tsas.tllinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_Lx is a constant of the constant of t$
- J Hafted Drill Attribute Data
  - http://isas.illtnots.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_J.xls
- ${f K}$  Unidentifiable Biface Fragment Data
  - $http://is as. illinois.edu/publications/data/TARR/29/11 HA938\_White\_Bend\_Archaic\_Appendix\_K.xls$
- L Early Stage Biface Attribute Data
  - http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_L.xls
- M Middle Stage Biface Attribute Data
  - $http://is as. illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_M.xls$
- N Refined Biface Attribute Data
  - http://isas.tillinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_N.xls
- O Helton Horizon Preform Attribute Data
  - $http://is as. illinois.edu/publications/data/TARR/29/11 HA 938 \_White\_Bend\_Archatc\_Appendix\_O.xls$
- ${f P}$  Non-Hafted Bifacial Tool Attribute Data
- http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_P.xls
- **Q** White Bend Faunal Inventory
  - http://isas.illinois.edu/publications/data/TARR/29/11HA938\_White\_Bend\_Archaic\_Appendix\_Q.xls



Back: In-progress White Bend Archaic main block excavation, view is to the northeast. Photography by Richard L. Fishel.

Front (left to right): Bold Side Notched point. McLean cluster point, two Karnak points, drill, and grooved axe. Photography by Marcia L. Martinho.

